





*

1978 SUPPLEMENT 830

BIBLIOGRAPHY OF GERMFREE RESEARCH

By

B. A. TEAH
Lobund Laboratory
University of Notre Dame
Notre Dame, Indiana

Distribution of this document is unlimited. It may be released to the National Technical Information Service, U.S. Department of Commerce, for sale to the general public.

This document has been approved for public release and sale; its distribution is unlimited.

To

Helmut A. Gordon, M.D., one of the early pioneers in germfree research. A very good friend and especially a good listener. Best wishes for the future for the years to come.

-A-

- Allen, S. L and Nerad, T. A. Method for the simultaneous establishment of many axenic cultures of paramecium. J. Protozool. 25(1):134-139, 1978.
- 2. Amstad-Jossi, M. and Schroeder, H. E. Age-related alterations of periodontal structures around the cemento-enamel junction and of the gingival connective tissue composition in germ-free rats. J. Periodont. Res. 13(1):76-90, 1978.
- 3. Amtsberg, G. and Hazem, S. Comparative experimental studies on the demonstration pathogenicity of Staphylococcus hyicus in pigs as well as Staphylococcus epidermis biotype 2 in cattle using gnotobiotic piglets and rabbits. Berl. Muench. Tieraerztl. Wochenschr. 91(15):299-301, 1978.
- Anderson, R. E., Howarth, J. L. and Troup, G. M. Effects of whole-body irradiation on neonatally thymectomized mice. Am. J. Pathology 91(2):217-227, 1978.
- 5. Anderson, J. C. The response of gut-associated lymphoid tissue in gnotobiotic piglets to the presence of bacterial antigen in the alimentary tract. J. Anat. 124(3):555-562, 1977.
- Angulo, A. F., Spaans, J., Zemmouchi, L. and van der Waaij, D. Selective decontamination of the digestive tract of Syrian hamsters. Lab. Anim. 12(3):157-158, 1978.
- 7. Application of gnotobiotic techniques in bone marrow transplantation for aplastic anaemia proceedings. Pathol. Biol. (Paris) 26(1):56-58, 1978.
- Asano, T. and Pollard, M. Strain susceptibility and resistance to 1,2-dimethylhydrazine-induced enteric tumors in germfree rats. Proc. Soc. Exp. Biol. Med. 158(1):89-91, 1978.

-B-

- Baggs, R. B., Delahunta, A. and Averill, D. R. Thiamine deficiency encephalopathy in a specific-pathogen-free cat colony. Lab. Anim. Sci. 28(3):323-326, 1978.
- Bagshawe, K. D., Blowers, R. and Lidwell, O. M. Isolating patients in hospital to control infection. Part I: Sources and routes of infection. British Med. J. 2:609-612, 1978.
- 11. Bagshawe, K. D., Blowers, R. and Lidwell, O. M. Isolating patients in hospital to control infection. Part II: Who should be isolated, and where? British Med. J. 2:684-686, 1978.
- Bagshawe, K. D., Blowers, R. and Lidwell, O. M. Isolating patients in hospital to control infection. Part III: Design and construction of isolation accommodation. British Med. J. 2:744-748, 1978.
- Bagshawe, K. D., Blowers, R. and Lidwell, O. M. Isolating patients in hospital to control infection. Part IV: Nursing procedures. British Med. J. 2:808-811, 1978.
- Bagshawe, K. D., Blowers, R. and Lidwell, O. M. Isolating patients in hospital to control infection. Part V: An isolation system. British Med. J. 2:879-881, 1978.
- Baumann, L. L. and Clark, W. B. Impaired colonization of gnotobiotic and conventional rats by streptomycin-resistant strains of Streptococcus mutans. Infection and Immunity 22(3):721, 1978.
- Baroyan, O. V., Abrikosova, N. Nu, Gailonskaya, I. N., Chakhava, O. V. and Blinova, N. I. Role of the normal microflora in treatment of the vibrio carrier state in germfree rats. Bull. Exp. Biol. & Med. 85(6):780, 1978.
- 17. Batzinger, R. P., Bueding, E., Reddy, B. S. and Weisburger, J. H. Formation of a mutagenic drug metabolite by intestinal microorganisms. Cancer Res. 38(3):608-612, 1978.

- Beale, A. J. Use of tissue cultures for testing vaccines. J. R. Soc. Med. 71(9):681-686, 1978.
- Beaver, M. H., Wostmann, B. S. and Madsen, D. C. Bile acids in bile of germfree and conventional dogs. Proc. Soc. Exp. Biol. Med. 157(3):386-389, 1978.
- Belokrysenko, S. S., Podoprigora, G. I. and Ginodman, G. A. Ecological changes in microflora of suppurative wounds under conditions of local gnotobiological isolation. Vestn. Akad. Med. Nauk. USSR. 1:46-50, 1978. (Rs).
- Bergstrand, C., Holmstrom, B. and Gustafsson, B. E. Contamination of germfree animals with intestinal Crohn tissue. A preliminary report. Acta Chir. Scand. Suppl. 482:48-50, 1978.
- 22. Bibliography of technology for germfree animal research—1977. Supplement (Author's Transl). Jikken Dobutsu. 27(3):329-330, 1978.
- 23. Binder, F. L. and Herndon, R. G. Transport of ¹⁴C-L-glycine by the haustorial mycoparasite Tieghemiomyces parasiticus in axenic culture. Microbios. 18(71):59-68, 1977.
- 24. Bolton, R. W. Rearing of gnotobiotic rodents by feeding a commercially-prepared infant formula. J. Nut. 108(5):812, 1978.
- Bond, J. H., Beggs, W. H. and Levitt, M. D. Influence of high luminal PO, on the anaerobic bacteria of the rat colon. Gastroenterology 75(3):419-421, 1978.
- Boonlayangoor, P., Albach, R. A., Stern, M. L. and Booden, T. Entamoeba histolytica: Uptake of purine bases and nucleosides during axenic growth. Exp. Parasitol. 45(2):225-233, 1978.
- Borderon, J. C., Laugier, J. and Gold, F. Fate of orally administered, antibiotic sensitive Escherichia coli in the intestine of the newborn. Annales de Microbiologie, B29(4):581, 1978.
- 28. Botzenhart, K. and Hoppenkamps, G. Wound contamination in conventionally air-conditioned operating rooms as compared to laminar-flow operating rooms. Zentralblatt 167:29, 1978.
- 29. Brassine, M. and Dewaele, A. Technique of production and possible uses of gnotobiotic animals. Revue Medicale de Liege 31:337-342, 1976. (Fr.)
- 30. Brassine, M., Dewaele, A. and Gouffaux, M. Intranasal infection with Bordetalla bronchiseptica in gnotobiotic piglets. Describes the lesions of atrophic rhinitis produced in nineteen germ-free piglets inoculated intranasally with a pure culture of Bordetalla bronchiseptica. Res. Vet. Sci. 20:162-166, 1976.
- 31. Brecher, S. M., Van Houte, J. and Hammond, B. F. Role of colonization in the virulence of Actinomyces viscosus strains T14-VI and T14-AV. Infect. Immun. 22(2):603-614, 1978.
- 32. Brockelman, C. R. and Jackson, G. J. Amino acid, heme, and sterol requirements of the nematode, Rhabditis masupasi. J. Parasitol. 64(5):803-809, 1978.
- Bruckner-Kardoss, E. and Wostmann, B. S. Oxygen consumption of germfree and conventional mice. Lab. Anim. Sci. 28(3):282-286, 1978.
- Bywater, J. E. and Kellett, B. S. The eradication of Encephalitozoon cuniculi from a specific pathogen-free rabbit colony. Lab. Anim. Sci. 28(4):402-404, 1978.
- Bywater, J. E. and Kellett, B. S. Encephalitozoon cuniculi antibodies in a specific-pathogen-free rabbit unit. Infect. Immun. 21(2):360-364, 1978.
- 36. Bywater, J. E. C. and Kellett, B. S. The eradication of Encephalitozoon cuniculi from a specific pathogen-free rabbit colony. Lab. Anim. Sci. 28(4):402, 1978.
- 37. Capin, N. R., Capin, R., Zamacona, G. and Ortiz-Ortiz, L. Activity of the alternative complement pathway by various axenic strains of Entamoeba histolytica. Arch. Invest. Med. (Mex). 9 Suppl (1):291-296, 1978. (Sp).

- 38. Carlsson, H. E., Sundblad, G., Hammarstrom, S., Perlmann, P. and Gustafsson, B. E. Immunological studies in ulcerative colitis: Extract, fractionation, and immunological characterization of germ-free rat colon antigen. Arch. Biochem. Biophys. 187(2): 366-375, 1978.
- 39. Cerva, L. Some further characteristics of the growth of Naegleria fowleri and N. gruberi in axenic culture. Folia Parasitol. (Praha) 25:(1):1-8, 1978.
- Chernukh, A. M., Podoprigora, G. I. and Kranchev, A. K. Routes of E. coli 055 bacterial penetration through the intestinal wall in gnotobiotic and ordinary animals. Biull. Eksp. Biol. Med. 85(6):654-657, 1978 (Rs).
- 41. Chernukh, A. M., Podoprigora, G. I. and Kranchev, A. K. Pathways of penetration of Escherichia coli 055 through the intestinal wall in germfree and ordinary animals. Bull. Exp. Biol. & Med. 85(6):714, 1978. (Rs).
- Chlystova, Z. S. The structure of different organs of lymphopoesis in sterile animals. Verh. Anat. Ges. 71 Pt. I:778-781, 1977.
- 43. Clarke, M. C., Taylor, R. J., Hall, G. A. and Jones, P. W. The occurrence in mice of facial and mandibular abscesses associated with Staphylococcus aureus. Lab. Anim. 12(3):121-123, 1978.
- 44. Cohen, B. J. Housing and long-term care of rats for gerontologic research and age-related lesions and diseases. In: Development of the Rodent as a Model System of Aging (Eds.: D. C. Gibson, R. C. Adelman and C. Finch), Book II, DHEW Publ. No. (NIH) 79-161, pp. 135-137, 1978.
- 45. Collins, F. M. and Carter, P. B. Growth of Salmonellae in orally infected germ-free mice. Infect. Immun. 21(1):41-47, 1978.
- 46. Combe, E. and Pion, R. Faecal amino acid composition in germ-free and conventional rats and lambs. Ann. Biol. Anim. Biochim. Biophys. 17:633-636, 1977.
- 47. Crawford, J. M., Taubman, M. A. and Smith, D. J. The natural history of periodontal bone loss in germfree and gnotobiotic rats infected with periodonto-pathic microorganisms. J. Periodont. Res. 13(4):316-325, 1978.
- 48. Crawford, J. M., Taubman, M. A. and Smith, D. J. The effects of local immunization with periodontopathic microorganisms on periodontal bone loss in gnotobiotic rats. J. Periodont. Res. 13(5):445-459, 1978.
- Crouch, C. F. and Woode, G. N. Serial studies of virus multiplication and intestinal damage in gnotobiotic piglets infected with rotavirus (Plate XXXIV). J. Med. Microbiology 11(3):325, 1978.
- 50. Dankert, J., Gaus, W., Gaya, H., Krieger, D., Linzenmeier, G. and van der Waaij, D. Protective isolation and antimicrobial decontamination in patients with high susceptibility to infection. A prospective cooperative study of gnoto-biotic care in acute leukaemia patients. III: The quality of isolation and decontamination. Infection 6(4):175-191, 1978.
- Deergerg, F., Pittermann, W. and Rapp, K. Longevity study in Han: Wistar rats: Experience in maintaining aging rats for gerontological investigations. In: Hockwin O., Ed. Gerontological Aspects of Eye Research. Basel, Karger, W1 IN679 V. 13:66-74, 1978.
- Deguchi, E., Niiyama, M., Kagota, K. and Namioka, S. Incorporation of ¹⁵N administered to germfree and SPF piglets as ¹⁵N-urea into amino acids of hydrolyzed liver and muscle proteins. The Japanese J. Vet. Res. 26(3-4):68, 1978.
- 53. Dennis, M. J. and Wheelock, D. B. Modification of a technique for deriving gnotobiotic calves. Br. Vet. J. 134(6):561-564, 1978.

- Diamond, L. S., Harlow, D. R. and Cunnick, C. C. A new medium for the axenic cultivation of Entamoeba histolytica and other Entamoeba. Trans. R. Soc. Trop. Med. Hyg. 72(4):431-432, 1978.
- Dickinson, A. G. and Taylor, D. M. Resistance of scrapie agent to decontamination. Letter to the Editor, The New England J. Med. 299(25):1413-1414, 1978.
- Djurickovic, S. M., Ediger, R. D. and Hong, C. C. Volvulus at the ileocecal junction in germfree mice. Lab. Anim. 12(4):219-220, 1978.
- Dodin, A. and Plawecki, M. Animal study on radioactive antigenic fractions from V. cholerae. I. The Ch 1 + 2 fraction. Bull. Soc. Pathol. Exot. Filiales 71(1):22-33, 1978. (Fr).
- Drozanski, W. Activity and distribution of bacteriolytic N-acetyl-muramidase during growth of Acanthamoeba castellanii in axenic culture. Acta Microbiol. Pol. 27(3):243-256, 1978.
- Dubey, J. P., Stromber, P. C., Toussant, M. J., Hoover, E. A. and Pechman, R. D. Induced paragonimiasis in cats: Clinical signs and diagnosis. J. Am. Vet. Med. Assoc. 173(6):734-742, 1978.
- Dubourgier, H. C., Contrepois, M., Gouet, P. and Tiou, Y. Use of axenic lambs for studies on enteropathogenic Escherichia coli of bovine origin-clinical, microbiological and histological observations. Rech. Med. Vet. 153:409-418, 1977.
- 61. Ducluzeau, R., Dubos, F., Raibaud, P. and Abrams, G. G. Production of an antibiotic substance by Bacillus lichenoformis within the digestive tract of gnotobiotic mice. Antimicrob. Agents and Chemother. 13:97-103, 1978.
- 62. Ducluzeau, R., Rapine, P., Courvalin, C. and Raibaud, P. Transfer of the fecal microbial flora from holoxenic piglets and adult pigs to axenic piglets and axenic adult mice: Effect of the animal host and of the diet on the fecal microbial pattern of these animals. Annales de Microbiologie B129(4):597-612, 1978. (Fr).
- 63. Dugan, R. C. and Nance, F. C. Enzymatic burn wound debridement in conventional and germ-free rats. Sur. Forum. 28:33-34, 1977.
- Dutta, G. P. and Narain, L. Influence of pH on the amoebicidal activity of systemically active amoebicides against axenic Entamoeba histolytica. Indian J. Exp. Biol. 16(7):838-840, 1978.
- Dykstra, D. D. and Ried, W. M. Effects of anaerobic bacteria on Eimeria tenella infection in bacteria-free, monofloral, and conventional chickens. Poult. Sci. 57(1):85-89, 1978.
- Dykstra, D. D. and Reid, W. M. Monensin, Eimeria tenella infection, and effects on the bacterial populations in the ceca of gnotobiotic chickens. Poult. Sci. 57(2):398-402, 1978.
- Drucker, D. B. and Green, R. M. The relative cariogenicities of Streptococcus milleri and other viridans group streptococci in gnotobiotic hooded rats. Arch Oral Biol. 23(3):183-187, 1978.
- 68. Ebersole, J. L. and Molinari, J. A. Secretory antibody responses in axenic mice to perorally administered Staphylococcus aureus. Immunology 34(3):379-387, 1978.
- 69. Ecknauer, R. and Raffler, H. Effect of starvation on small intestinal enzyme activity in germ-free rats. Digestion 18:45, 1978.
- Elazhary, M. A., Berthiaume, L., Roy, R. S., Alain, R. and Lagace, A. Morphological and quantitative study of spirochetes in the feces of normal and infected SPF pigs during the incubation period of swine dysentery. Can. J. Comp. Med. 42(3):302-309, 1978.

F

- 71. Feary, T. W., Thompson, J. J., Harrison, G. and Heneghan, J. Gnotobiotic Beagle Model for Periodontal Disease Research. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 128, 1978.
- Featherstone, H. J. and Dale, D. C. Managing infections in immunosuppressed patients. In: Postgraduate Medicine. 64:141-148, 1978. McGraw-Hill, Inc., New York, N.Y.
- 73. Florenzano, G., Balloni, W. and Materassi, R. Algal organic matter and plant growth. Zentralbl. Bakteriol. Naturwiss. 133(5):379-384, 1978.
- Fiser, A. Microbial contamination of dust in minimum-morbidity housing for pig rearing. Vet. Med. (Praha). 23(11):641-650, 1978. (Cz).
- 75. Fordham, J. P. Safe handling of peracetic acid in a closed environment. Lab. Anim. 12(4):247-248, 1978.
- Fray, A., Lorinet, A. M. and Halpern, B. In vitro anti-tumor properties of peritoneal exudate cells of conventional germ-free stimulated mice. Dev. Biol. Stand. 38:241-244, 1977.
- Fries, A. S. Demonstration of antibodies to Bacillus piliformis in SPF colonies and experimental transplacental infection by Bacillus piliformis in mice. Lab. Anim. 12(1):23-26, 1978.
- Fuller, R. The importance of lactobacilli in maintaining normal microbial balance in the crop. Br. Poult. Sci. 18:85-94, 1977.
- 79. Gardner, D. M. and Renwick, A. G. The reduction of nitrobenzoic acids in the rat. Xenobiotica. 8(11):679-690, 1978.
- Gavrilov, O. K., Fainshtein, F. E., Golosova, T. F. et al. Aseptic unit for treating patients with acute leukemia. Sovetskaya Meditsina 9:127-132, 1977. (Rs).
- Ghnassia, J. C., Veron, M., Ducluzeau, R. and Raibaud, P. Gnotobiotic care in pediatrics. Germ free delivery and decontaminated infants proceedings. Pathol. Biol. (Paris). 26(1):58-59, 1978.
- 82. Ghadirian, E. and Meerovitch, E. Behavior of axenic IP-106 strain of Entamoeba histolytica in the golden hamster. Am. J. Trop. Med. Hyg. 27 2 Pt. 1:241-247, 1978.
- 83. Giovanella, B. C., Stehlin, J. S. Jr., Williams, L. J. Jr., Lee, S. S. and Shepard, R. C. Heterotransplantation of human cancers into nude mice: A model system for human cancer chemotherapy. Cancer 42(5):2269-2281, 1978.
- 84. Gleeson, L. J., Studdert, M. J. and Sullivan, N. D. Pathogenicity and immunologic studies of equine adenovirus in specific-pathogen-free foals. Am. J. Vet. Res. 39(10):1636-1642, 1978.
- Goodman, M. G., Fidler, J. M. and Weigle, W. O. Nonspecific activation of murine lymphocytes. III. Cells responding mitogenically to 2-mercaptoethanol are typical unstimulated lymphocytes. J. Immunol. 121(5):1899-1904, 1978.
- Gorskaia, E. M., Chakhava, O. V. and Shustrova, N. M. Morphological and immunomorphological changes in the intestines and regional lymph nodes of gnotobiotic rats—chronic carriers of Vibrio cholerae el-tor. Arkh. Patol. 40(2):51-56, 1978. (Rs).
- Graham, D. Y., Klish, W. J., Ferry, G. D. and Holcome, B. B. Endoscopy under gnotobiotic conditions: A unique experience. Gastrointest. Endosc. 24(6):298-299, 1978.
- 88. Gustafsson, B. E. and Norin, K. E. Development of germfree animal characteristics in conventional rats by antibiotics. Acta Path. Microbiol. Scand. Sect. B18:1, 1977.

- 89. Gustafsson, B. E., Angelin, B., Einarsson, K. and Gustafsson, J. A. Influence of cholestyramine on synthesis of cholesterol and bile acids in germfree rats. J. Lipid Res. 19:972, 1978.
- 90. Guy-Grand, D., Griscelli, C. and Vassalli, P. The mouse gut T lymphocyte, a novel type of T cell. Nature, origin, and traffic in mice in normal and graft-versus-host conditions. J. Exp. Med. 148:(6):1661-1677, 1978.
- 91. Hambraens, A., Bengtsson, S. and Laurell, G. Bacterial contamination in a modern operating suite. 3. Importance of floor contamination as a source of airborne bacteria. J. Hyg. 80(2):169, 1978.
- 92. Hambraens, A., Bengtsson, S. and Laurell, G. Bacterial contamination in a modern operating suite. 4. Bacterial contamination of clothes worn in the suite. J. Hyg. 80(2):175, 1978.
- 93. Harris, D. L., Alexander, T. J., Whipp, S. C., Robinson, I. M., Glock, R. D. and Matthews, P. J. Swine dysentery: Studies of gnotobiotic pigs inoculated with Treponema hyodysenteriae, Bacteroides vulgatus, and Fusobacterium necrophorum. J. Am. Vet. Med. Assoc. 172(4):468-471, 1978.
- 94. Harrison, G. F. and Hewitt, D. The influence of the conventional microflora on the body temperature of the chick. Br. Poult. Sci. 19:273-275, 1978.
- 95. Hashimoto, K., Handa, H., Umehara, K. and Sasaki, S. Germfree mice reared on an "antigen-free" diet. Lab. Anim. Sci. 28(1):38-45, 1978.
- 96. Heneghan, J. B. Gnotobiotic Beagles for Gastrointestinal Research. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 123, 1978.
- 97. van der Hoeven, J. S., Toorop, A. I. and Mikx, R. H. Symbiotic relationship of Veillonella alcalescens and Streptococcus mutans in dental plaque in gnotobiotic rats. Caries Res. 12(3):142-147, 1948.
- 98. Holland, J. M., Mitchell, T. J., Gipson, L. C. and Whitaker, M. S. Survival and cause of death in aging germfree athymic nude and normal inbred C3Hf/He mice. J. Natl. Cancer Inst. 61(5):1357-1361, 1978.
- 99. Hoover, E. A. and Dubey, J. P. Pathogenesis of experimental pulmonary paragonimiasis in cats. Am. J. Vet. Res. 39(11):1827-1832, 1978.
- Horsch, A. K., Kuhlmann, W. D., Bleyl, U. and Salomon, J. C. Early atherosclerotic lesions in rat aorta. Effect of cholesterol feeding and immunization. Res. Exp. Med. (Berl). 173(3):251-259, 1978.
- 101. Hutchinson, J. G. P., Gray, J., Flewett, T. H., Edmond, R. T. D., Evans, B. and Trexler, P. C. The safety of the Trexler isolator as judged by some physical and biological criteria: A report of experimental work at two centres. J. Hyg. 81(2):311, 1978.
- Irving, J. T. The role of osteoclasts in experimental periodontal disease in monoinfected gnotobiotic rats. J. Periodontol. 49(7):378, 1978.
- Irving, J. T., Socransky, S. S. and Tanner, A. C. Histological changes in experimental periodontal disease in rats monoinfected with gram-negative organisms. J. Periodont. Res. 13(4):326-332, 1978.
- 104. Isakof, Uy. F., Nemssdze, V. P., Podoprigora, G. I., Ginodman, G. I. and Belokrysenko, S. S. Method of biological local isolation for treatment of infected wound in children: In: First All Union Conference on Wounds and Wound Infections. Ministry of Public Health of the USSR, Institute of Surgery named after A. V. Vishnevsky of the USSR Acad. Med. Sci., Moscow, February 24-25, 1977, pp. 102-103. (Rs).

- 105. Itoh, K., Ozaki, A., Yamamoto, T. and Mitsuoka, T. An autoclavable stainless steel isolator for small scale gnotobiotic experiments (Author's Transl). Jikken Dobutsu. 27(1):13-16, 1978. (Ja).
- 106. Iwaku, T. Studies on the experimental cardiac involvement and cell-mediated immunity in germ-free mice sensitized with killed Group A streptococci. Microbiol. Immunol. 22(7):427-436, 1978.
- 107. Johnson, D. A., Behling, U. H., Lai, C. H., Listgarten, M., Socransky, S. and Nowotny, A. Role of bacterial products in periodontitis: Immune response in gnotobiotic rats monoinfected with Eikenella corrodens. Infect. Immun. 19(1):246-253, 1978.
- 108. Johnson, D. A., Behling, U. H., Listgarten, M. and Nowotny, A. Role of bacterial products in periodontitis: Humoral immune response to Eikenella corrodens. Infect. Immun. 22(2):382-386, 1978.
- Jukes, T. H. Further comments on growth promotion by antibiotics. Letter. Fed. Proc. 37(8):2109-2110, 1978.
- 110. Jungi, T. W. and McGregor, D. D. Impaired chemotactic responsiveness of macrophages from gnotobiotic rats. Infect. Immun. 19(2):553-561, 1978.
- K —

 111. Kato, I. Establishment of plaque-forming Streptococcus mutans in germfree mice (Author's Transl). Nippon Shishubyo. Gakkai. Kaishi. 18(2):215-224, 1976. (Ja).
- 112. Kato, I., Yanagawa, S. and Sunada, I. Establishment of plaque-forming Streptococcus mutans in the oral cavity of germfree mice (Author's Transl). Nippon Shishubyo. Gakkai. Kaishi. 19(2):143-146, 1977. (Ja).
- 113. Kawai, Y. and Morotomi, M. Intestinal enzyme activities in germfree, conventional, and gnotobiotic rats associated with indigenous microorganisms. Infect. Immun. 19(3):771-778, 1978.
- 114. Keenan, K., Erlich, E., Donnelly, K. H., Basel, M. B., Hutner, S. H., Kassoff, R. and Crawford, S. A. Particle-based axenic media for Tetrahymenids. J. Protozool. 25 3 Pt. 2:385-387, 1978.
- 115. Khlystova, Z. S. and Zaitsev, T. I. Effect of gnotobiotic conditions on the histophysiology of liver and spleen tissues. Biull. Eksp. Biol. Med. 85(1):81-84, 1978. (Rs).
- 116. Khlystova, Z. S. and Podoprigora, G. I. Age and changes in the splenic lymphoid tissue of germ-free rats during the postnatal period of ontogenesis. Arkh. Anat. Gistol. Embriol. 74(2):36-42, 1978. (Rs).
- 117. Kohno, T. An electron microscopic study on retinal microglia in the SPF rat: A preliminary report (Author's Transl). Nippon Ganka. Gakkai. Zasshi. 82(4):250-254, 1978. (Ja).
- 118. Klipstein, F. A., Goetsch, C. A., Engert, R. F., Short, H. B. and Schenk, E. A. Effect of monocontamination of germfree rats by enterotoxigenic Coliform bacteria. Gastroenterology 76(2):341, 1979.
- 119. Koopman, J. P., Kennis, H. M. and Van Druten, J. A. M. Colonization resistance of the digestive tract and gastrointestinal transit time in SPF mice. Lab. Anim. 12(4):223-226, 1978.
- 120. Korzhenkova, M. P., Katosova, R. K., Uskov, V. N., Podoprigora, G. I. and Bragina, T. M. Enzymatic activity of the lymphocytes in gnotobionts in adenovirus infection. Vopr. Virusol. 2:212-215, 1978. (Rs).
- 121. Krakowka, S., Long, D. and Koestner, A. Influence of transplacentally acquired antibody on neonatal susceptibility to canine distemper virus in gnotobiotic dogs. J. Infect. Dis. 137(5):605-608, 1978.

- 122. Krakowka, S., Long, D., Mezza, R., Mador, R. A. and Koestner, A. Derivation and maintenance of genotobiotic dogs. Lab. Anim. Sci. 28(3):327-330, 1978.
- Lakhonina, G. M. and Teras, Iukh. Simplified methods for the isolation and preservation of axenic Lamblia cultures. Parazitologiia. 12(5):434-443, 1978. (Rs).
- 124. Laubach, H. E., Kocan, A. A. and Sartain, K. E. Lung lysophospholipase activity in specific-pathogen-free rats infected with Pasteurella pneumotropica or Mycoplasma pulmonis. Infect. Immun. 22(1):295-297, 1978.
- Le Bars, J. Development of technique for germ-free chick production. Annls. Rech. Vet. 7:383-396, 1976.
- 126. La Coz, Y., Szylitt, O. and Ducluzeau, R. Development of flexible isolators for nutritional studies of axenic and gnotoxenic chickens. Sci. Techqs. Animal Lab. 2:27, 1977.
- 127. Lifshitz, F., Wapnir, R. A., Wehman, H. J., Diaz-Bensussen, S. and Pergolizzi, R. The effects of small intestinal colonization by fecal and colonic bacteria on intestinal function in rats. J. Nutri. 108(12):1913-1923, 1978.
- 128. Listgarten, M. A., Johnson, D., Nowotny, A., Tanner, A. C. and Socransky, S. S. Histopathology of periodontal disease in gnotobiotic rats monoinfected with Eikenella corrodens. J. Periodont. Res. 13(2):134-148, 1978.
- 129. Long, D., Mezza, R. and Krakowa, S. Signs of impending parturition in the laboratory bitch. Lab. Anim. Sci. 28(2):178, 1978.
- 130. Lopez-Revilla, R. and Gomez, R. Entamoeba histolytica, E. invadens, and E. moshkovskii: Fluctuations of the DNA content of axenic trophozoites. Exp. Parasitol. 44(2):243-248, 1978.
- 131. Lopez-Revilla, R. and Navarro, V. Amino acid composition in total proteins of strains of Entamoeba histolytica in axenic cultures. Arch. Invest. Med. (Mex). 9 Suppl 1:129-132, 1978. (Sp).
- 132. Lowbury, E. J. L. and Lidwell, O. M. Multi-hospital trial on the use of ultraclean air systems in orthopaedic operating rooms to reduce infection: preliminary communication. J. Royal Soc. Med. 71:800-806, 1978.
- 133. Lysons, R. J., Alexander, T. J. L. and Wellsteed, P. D. Nutrition and growth of gnotobiotic lambs. J. Agric. Sci. Camb. 88:597, 1977.
- 134. Luckey, T. D. Antibiotics stimulate growth of germfree birds. Fed. Proc. 37:2553, 1978.
- 135. Luckey, T. D. Prelude to the industrial use of dietary antibiotics. Fed Proc. 31(2):108, 1978.
- 136. MacDonald, T. T. and Carter, P. B. Contact sensitivity in the germ-free mouse. J. Reticuloendothelial Soc. 24(3):287, 1978.
- MacVittie, T. J. and Walker, R. I. Canine granulopoiesis: Alterations induced by suppression of gram-negative flora. Exp. Hematol. 6(8):639-647, 1978.
- 138. Madsen, D. C., Wostmann, B. S., Veaver, M. and Chang, L. Effects of aureomycin on bile acids in rats. J. Lab. Clin. Med. 91(4):605-611, 1978.
- 139. Malis, F., Lojda, Z., Stepankova, R. and Slezak, Z. Intestinal gradient of enterokinase activity in different species of animals. Acta Univ. Carol Med. Monogr. (Praha) 77 Pt 1:113-117, 1977.
- 140. Malis, F., Fric, P., Stepankova, R. and Kruml, J. Digestive enzymes of the mucosa of the small intestine and trypsin and chymotrypsin proteolytic activity of the intestinal contents of germ-free, monocontaminated and conventional rabbits. Acta Univ. Carol Med. Monogr. (Praha) 77 Pt 1:119-123, 1977.

- Mandel, L., Moravek, F. and Miler, I. Survival time of germfree and conventional piglets, whole-body gamma-irradiated with single doses up to 3000 R. Acta Vet. Brno. 44:207-209, 1975.
- 142. Mattingly, J. A. and Webb, P. M. Studies on the mitogen responses of germfree allogeneic chimeras. I. Maturation of mitogen responsiveness with duration of chimerism. Clin. Immunol. Immunopathol. 10(2):121-128, 1978.
- 143. Mattingly, J. A. and Webb, P. M. Studies on the mitogen responses of germfree allogeneic chimeras. IJ. Maturation of two cell types and partial restoration of responsiveness of the short-term chimeras. J. Immunol. 120:1274-1277, 1978.
- McCarthy, K., Eartzokas, C. A. and Baker, B. F. Observations on the effects of formaldehyde on cockroaches drinking formaldehyde or glutaraldehyde solutions. J. Hyg. (Lond) 80(1):131-135, 1978.
- 145. McLaughlan, J., Scotland, A. D. and Trexler, P. C. Sterile microenvironment for postoperative wound care. The Lancet II:503, 1978.
- McLeod, J. C. and Balish, E. Endotoxin in germfree, gnotobiotic, or conventional-flora Sprague-Dawley rats. Can. J. Microbiol. 24(12):1602, 1978.
- 147. McLeod, J. C. and Balish, E. Homologous and cross-reacting antibodies in the sera of gnotobiotic rats. Can. J. Microbiol. 24(4):365-371, 1978.
- 148. Meerovitch, E. and Ghadirian, E. Restoration of virulence of axenically-cultivated Entamoeba histolytica by cholesterol. Arch Invest. Med. (Mex) 9 Suppl 1:253-256, 1978.
- 149. Meslin, J. C., Sacquet, E., Riottot, M. and Leglise, P. C. Renewal of ileal epithelium in axenic (germ-free) and holoxenic (conventional) rats: Effect of long-term bile diversion from the intestinal tract. Annales de Biologie Animale Biochimie Biophysique 18(2):295-303, 1978. (Fr).
- 150. Microbial ecology of the gut (Eds. R. T. J. Clarke and T. Bauchop). Academic Press. London 410 pgs. 1977.
- Miniats, O. P., Platonow, N. S. and Geissinger, H. D. Experimental polychlorinated biphenyl toxicosis in germfree pigs. Can. J. Comp. Med. 42(2):192-199, 1978.
- Miniats, O. P. and Jol, D. Gnotobiotic pigs derivation and rearing. Can. J. Comp. Med. 42:428, 1978.
- 153. Miniats, O. P. Gnotobiotic Pig as a Research Tool. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 136, 1978.
- 154. Mithal, S., Panigrahi, H. K., Mohapatra, L. N. and Sunder, S. Indirect fluorescent antibody test in amoebiasis using axenic Entamoeba histolytica. Indian J. Med. Res. 67:367-373, 1978.
- 155. Mohr, W., Wild, A. and Wolf, H. P. Incorporation of ⁸H-proline into hyaline articular cartilage. An autoradiographic study in rats with and without adjuvant-induced arthritis. Virchows Archiv. Cell Pathol. 28(1):1-12, 1978.
- 156. Moreau, M. C., Ducluzeau, R., Guy-Grand, D. and Muller, M. C. Increase in the population of duodenal immunoglobulin A plasmocytes in axenic mice associated with different living or dead bacterial strains of intestinal origin. Infect. Immun. 21(2):532-539, 1978.
- 157. Mukhopadhyay, N., Richie, E., Mackler, B. F., Montgomery, J. R., Wilson, R., Fernbach, D. J. and South, M. A. A longitudinal study of T and B lymphocytes from a three-year-old patient with severe combined immunodeficiency (SCID) in 'gnotobiotic protection.' Exp. Hematol. 6(2):129-134, 1978.
- 158. Naot, Y. and Ginsburg, H. Activation of B lymphocytes by mycoplasma mitogen(s). Immunol. 34(4):715-720, 1978.
- 159. Nakano, M., Sumi, Y. and Miyakawa, M. Isolation and properties of fecal proteins and fecal alkaline phosphatase from germfree and conventional rats. Appl. Environ. Microbiol. 35(2):283-289, 1978.

- Newton, W. M. Environmental impact on laboratory animals. Adv. Vet. Sci. Comp. Med. 22:1-28, 1978.
- Nossal, G. J. and Pike, B. L. Mechanisms of clonal abortion tolerogenesis.
 Response of immature hapten-specific B lymphocytes. J. Exp. Med. 148(5):1161-1170, 1978.
- Oberti, J., Roux, J., Sanchez-Teff, S. and Caravano, R. The early events of experimental Brucella infection in the mouse. Relationships of bacteria with phagocytic cells and lymphoid tissue responses. Virchows Arch. Pathol. Anat. 380(3):187-203, 1978.
- 163. Okumura, J., Hewitt, D. and Coates, M. E. Nitrogen excretion in germ-free and conventional chickens: Effects of an alkali load. Br. J. Nutr. 39(1):99-104, 1978.
- 164. Onderdonk, A. B. Use of Germfree and Gnotobiotic Guinea Pigs in Study of Experimental Ulcerative Colitis. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 130, 1978.
- Owen, D. Attempted transmission of Entamoeba coli to specified-pathogen-free rodents. Lab. Anim. 12(2):79-80, 1978.
- 166. Palmer, M. F. and Rolls, B. A. Calcium uptake in the intestinal tract of germ-free and conventional chicks. Proc. Nutr. Soc. 37(3):A113, 1978.
- 167. Perrot, A. Evolution of the digestive microflora in a unit of specified-pathogen-free mice: Efficiency of the barrier. Lab. Anim. 10:143-156, 1976.
- 168. Podoprigora, G. I. Nonspecific resistance in germ-free and E. coli monocontaminated miniature piglets. Biull. Eksp. Biol. Med. 86(9):341-344, 1978. (Rs).
- Podoprigora, G. I. Body temperature and response to pyrogonal in germfree and conventional animals. Bull. Exp. Biol. Med. 80(3):263, 1978. (Rs).
- 170. Podoprigora, G. I., Dushkin, G. A., Kenig, E. E., Andreev, V. N., Baltrashevich, A. K. and Bolotskikh, L. A. Experimental production and bearing of germfree miniature piglets for medical and biological research. Bull. Exp. Biol. Med. 85(2):262, 1978. (Rs).
- Prince, D. J. and Gibson, I. Ultrastructural and functional differences in mitochondria isolated from Paramecium aurelia grown axenically and monoxenically. Biochem. & Biophys. Res. Commun. 85(2):519, 1978.
- 172. Przyjalkowski, Z. Establishment, growth and rate of expulsion of cestode Hymenolepis nana Siebold in germfree and conventional mice. Acta Parasitologica Polonica 25(7):63, 1977.
- 173. Przyjalkowski, Z. Effect of the intestinal bacteria on the host response to Trichinella spiralis (Owen, 1835) infection. I. Experiments with germfree and conventional mice. Acta Parasitologica Polonica 25(18):169, 1978.
- 174. Przyjalkowski, Z. Effect of intestinal flora on the course of infection and Haematological changes in germfree and conventional mice exposed to Trichinella pseudospiralis (Garkavi, 1972). Bull. Acad. Pol. Sci. Biol. 26(5):331-336, 1978.
- 175. Przyjalkowski, Z. and Warton, A. Effect of Trichinella spiralis infection on structure of surface intestines in germfree or conventional mice. Bull. L'Academie Polonaise Des Sci. 26(2):99, 1978.
- 176. Przyjalkowski, Z. and Malinowska, A. Studies on some metabolites and enzymes of carbohydrate metabolism and small intestine of germfree or conventional mice in the course of experimental Trichinellosis. Acta Parasitologica Polonica 25(7):63, 1977.
- 177. Przyjalkowski, Z. and Malinowska, A. Metabolite levels and activities of some enzymes of carbohydrate metabolism in tissues of conventional and mono-associated mice in the course of Trichinella spiralis infection. Bull. Acad. Pol. Sci. Biol. 26(3):173-179, 1978.

- 178. Przyjalkowski, Z., Bany, J. and Golinska, Z. Effect of intestinal flora on the immunological response of germfree and conventional mice exposed to Trichinella pseudospiralis (Garkavi, 1972). Bull. Acad. Pol. Sci. Biol. 26(5):325-329, 1978.
- 179. Reddy, B. S. and Watanabe, K. Effect of intestinal microflora on 2,2'-dimethyl-4-aminobiphenyl-induced carcinogenesis in F344 rats. J. Natl. Cancer Inst. 61(5):1269-1271, 1978.
- Riottot, M., Sacquet, E., Leprince, C. and Mejean, C. Effects of intestinal microflora and diet on sodium taurocholate absorption in the rat. Ann. Biol. Anim. Biochim. Biophys. 17:621-624, 1977.
- Rod, T. O. and Midtvedt, T. Origin of intestinal beta-glucuronidase in germfree, monocontaminated and conventional rats. Acta Pathol. Microbiol. Scand. Sect. B85:271-276, 1977.
- Rogers, T. J. and Balish, E. Effect of systemic candidiasis on blastogenesis of lymphocytes from germfree and conventional rats. Infect. & Immun. 20(1):142, 1978.
- 183. Rogers, A. H., van der Hoeven, J. S. and Mikx, F. H. Inhibition of Actinomyces viscosus by bacteriocin-producing strains of Streptococcus mutans in the dental plaque of gnotobiotic rats. Arch. Oral. Biol. 23(6):477-483, 1978.
- 184. Rolls, B. A., Turvey, A. and Coates, M. E. The influence of the gut microflora and of dietary fibre on epithelial cell migration in the chick intestine. Br. J. Nutr. 39(1):91-98, 1978.
- 185. Rosen, S. and Kolstad, R. A. Dental caries in gnotobiotic rats inoculated with a strain of Peptostreptococcus intermedius letter. J. Dent. Res. 57(3):538, 1978.
- Rosen, S. and Kolstad, R. A. Dental caries in gnotobiotic rats incubated with a strain of Peptostreptococcus intermedius letter. J. Dent. Res. 57(4):660-663, 1978.
- 187. Sacquet, E., Leprince, C., Riottot, M., Mejean, C. and Raibaud, P. Measurement of fecal bile acid excretion in gnotobiotic rats: Comparison of gas-liquid chromatography and 4(-14C) cholesterol isotopic equilibrium. Steroids 32(1):1-12, 1978.
- 188. Sado, T. and Kamisaku, H. Allogeneic radiation chimeras induced in SPF mice: Some immunobiological insights into immunologic dysfunctions and instabilities. Nippon Ketsueki. Gakkat. Zasshi. 40(6):900-908, 1977.
- 189. Saint-Martin, B. A new portable isolator for transfer and carriage. Sciences Techniques Animal Laboratoire 3(2):79, 1978.
- 190. Scott, M. T., MacDonald, T. T. and Carter, P. B. C. parvum in germ-free mice. Cancer Immunol. & Immunother. 4(2):135, 1978.
- Scholler, M., Klein, J. P. and Frank, R. M. Dental caries in gnotobiotic rats immunized with purified glucosyltransferase from Streptococcus sanguis. Arch. Oral Biol. 23(6):501-504, 1978.
- 192. Sharma, P., Singh, K. and Dutta, G. P. Growth pattern of axenic Entamoeba histolytica in different sera and the antiamoebic activity of specific antisera. Indiana J. Med. Res. 67:374-380, 1978.
- 193. Sharp, J. M., Gilmour, N. J., Thompson, D. A. and Rushton, B. Experimental infection of specific pathogen-free lambs with Parainfluenza virus type 3 and Pasteurella haemolytica. J. Comp. Pathol. 88(2):237-243, 1978.
- 194. Shinoda, M. and Maejima, K. Physiological characteristics of germfree animals (Author's Transl). Jikken Dobutsu. 27(3):315-327, 1978. (Ja).
- Shohtsu, A., Nagao, T., Ozawa, A. and Sasaki, S. Germfree Ward of Tokai-University-Hospital. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 19, 1978.
- Songer, J. R., Mathis, R. G. and Nelson, T. P. Autoclavable ultrahigh-efficiency filter for use with flexible film germfree animal isolators. Lab. Anim. Sci. 28(2):757, 1978.

- Srivastava, K. K. Colonization resistance against potentially pathogenic bacteria in hexaflora-associated gnotobiotic mice. Can. J. Microbiol. 24(2):79-83, 1978.
- 198. Srivastava, K. and Wagner, M. Decontamination of conventional mice by antimicrobial agents. Abstracts of the Annual Meeting 1974, American Society for Microbiology. E-88.
- 199. Strecke, J. Germfree animals in biomedical research. Wissenschaft und Fortschrift 20:421, 1970.
- 200. Suptel, E. A., Maksimovich, N. A. and Pavlovich, S. I. Course of dysentery with associated infection. Mikrobiol. Zh. 40(4):466-470, 1978. (Rus).
- 201. Syukuda, Y. Establishment of a new breeding colony of germfree of No. 1 mice (Author's Transl). Jikken Dobutsu. 27(3):271-281, 1978. (Ja).

- 202. Taniguchi, T. Immunobiological characteristics of germfree mice (Author's Transl). Fukuoka Igaku Zasshi. 69(2):23-36, 1978. (Ja.).
- 203. Taylor, D. M. Rationalisation and modification of a germ-free isolator design. Lab. Anim. 12(1):21-22, 1978.
- 204. Teale, J. M., Howard, M. C., Falzon, E. and Nossal, G. J. B lymphocyte subpopulations separated by velocity sedimentation. I. Characterization of immune function in an in vitro splenic focus assay. J. Immunol. 121(6):2554-2560, 1978.
- 205. Theil, K. W., Bohl, E. H., Cross, R. F., Kohler, E. M. and Agnes, A. G. Pathogenesis of porcine rotaviral infection in experimentally inoculated gnotobiotic pigs. Am. J. Vet. Res. 39(2):213, 1978.
- 206. Thompson, G. E. Control of intestinal flora in animals and humans: Implications for toxicology and health. J. Environ. Pathol. Toxicol. 1(1):113-123, 1978.
- 207. Thomson, L. A., Bowen, W. H., Little W. A., Kuzmiak-Jones, H. M. and Gomez, I. M. Simultaneous implantation of five serotypes of Streptococcus mutans in gnotobiotic rats. Caries Res. 13(1):9, 1979.
- 208. Thunert, A. Escherichia coli in laboratory animals. Z. Versuchstierkd. 20(1):19-27, 1978.
- 209. Tomita, S., Hayao, T., Sawada, T. and Hayakawa, J. Reproductive lifespan and reproductive performance in SPF C3H mice: The onset of reproductive life and production efficiency (Author's Transl). Jikken Dobutsu. 27(4):399-404, 1978. (Ja).
- 210. Travnicek, J., Kovaru, F., Mandel, L., Stozicky, V. and Kruml, J. The delivery of piglets for germfree rearing by caesarian section in a closed system. Acta Vet. Brno. 44:297, 1975.
- 211. Trevino-Garcia Manzo, N., Cruze De Lavin, E. and Tanimoto-Weki, M. Ultramicroscopic study of the invasion of the mucosa of the colon by Entamoeba histolytica in axenic cultures. Arch. Invest. Med. (Mex) 9 Suppl 1:275-284,
- 1978. (Sp).
 212. Trexler, P. C. A rationale for the development of gnotobiotics. Lab. Anim. 12:257-262, 1978.
- 213. Trexler, P. C., Edmond, R. T. D. and Evans, Brandon. Negative pressure isolators for patients with dangerous infections. Brit. Med. J. 2:559, 1977.
- 214. Truitt, R. L. Use of decontamination and a prote ed environment to prevent secondary disease following adoptive immunotherapy of acute leukemia in mice. In: Exp. Hematol. Today (Eds.: S. J. Baum & G. D. Ledney), Springer-Verlag, N.Y., pp. 195-201, 1978.
- 215. Tzipori, S. and Walker, M. Isolation of rotavirus from foals with diarrhoea. Aust. J. Exp. Biol. Med. Sci. 56(4):453-457, 1978.
- U -216. Ueda, K., Saegusa, J., Nakayama, M., Fujiwara, K., Homma, J. Y., Abe, C., Chosa, H., Homma, H., Washizaki, M. and Okano, H. Etiological studies on a transmissible agent from sarcoid tissues using germ-free and nude mice. Jpn. J. Exp. Med. 48(3):269-273, 1978.

- 217. Ukai, M. and Mitsuma, T. Plasma triiodothyronine, thyroxine and thyrotrophin levels in germfree rats. Experientia 34(8):1095-1096, 1978.
- Urano, T. and Maejima, K. Distribution of Pseudomonas aeruginosa in experimentally infected mice (Author's Transl). Jikken Dobutsu. 27(3):263-269, 1978.
 (Ja).
- Uskov, V. N., Podoprigora, G. I., Sorokina, Iud., Bragina, T. M. and Suslova, G. F. Morphologic and histochemical studies of adenovirus infections in gnotobiotics. Vopr. Virusol. 5:565-568, 1978.
- 220. Vanfleteren, J. R. Axenic culture of free-living, plant-parasitic, and insect-parasitic nematodes. Ann. Rev. Phytopath. 16:131, 1978.
- Vozdvizhenskii, S. I., Ginodman, G. A., Okat'Ev, V. S. and Belokrysenko, S. S. Gnotological isolation in treatment of deep local burns in children. Pediatriia. 12:42-45, 1977. (Rs).
- 222. van der Waaij, D., Tielemans-Speltie, T. M. and de Roeck-Houben, A. M. J. Infection by and distribution of biotypes of Enterobacteriaceae species in leukaemic patients treated under ward conditions and in units for protective isolation in seven hospitals in Europe. Infection 5:188-194, 1977.
- 223. Van Waarde, D., Bakker, S., Van Vliet, J., Angulo, A. F. and Van Furth, R. The number of monocytes in mice as a reflection of their condition and capacity to react to an inflammatory stimulus. J. Reticuloendothel. Soc. 24(3):197-204, 1978.
- 224. Walker, R. I., MacVittie, T. J., Sinha, B. L., Ewald, P. E., Egan, J. E. and McClung, G. L. Antibiotic decontamination of the dog and its consequences. Lab. Anim. Sci. 28(1):55-61, 1978.
- Welling, G. W. and Greon, G. β Aspastylglycine, a substance unique to caecal contents of germ-free and antibiotic treated mice. Biochem. J. 175(3):807, 1978
- Wells, C. L., Johnson, W. J., Kan, C. M. and Balish, E. Inability of debilitated Escherichia coli CHI 1886 to colonise germ-free rodents. Nature 274(5669):397-398, 1978.
- 227. Woode, G. N. and Bridger, J. C. Isolation of small viruses resembling astroviruses and caliciviruses from acute enteritis of calves. J. Med. Microbiol. 11(4):441-452, 1978.
- 228. Woodward, B. A stereological ultrastructural study of peritoneal macrophages from germ-free and conventionally-reared mice. Cell Tissue Res. 192(1):157-166, 1978.
- 229. Woodward, B. Peritoneal leukocytes of germ-free mouse. Experientia 34(12):1638, 1978.
- Wostmann, B. S., Beaver, M., Bartizal, K. and Madsen, D. Gnotobiotic Gerbils.
 4th International Symposium on Contamination Control, Washington, D.C.
 September 10-13, 132, 1978.
- Yale, C. E. Instrumentation for Surgery on Adult Gnotobiotic Dogs. 4th International Symposium on Contamination Control, Washington, D.C. September 10-13, 140, 1978.
- 232. Yale, C. E. and Houge, J. C. An autoclavable electronic interface for germfree isolators. Lab. Anim. Sci. 28(1):94-96, 1978.
- 233. Yuyama, S. and Corff, S. Differentiation-dependent decline of DNA synthetic activities in Naegleria gruberi. J. Protozool. 25 3 Pt 2:408-415, 1978.
- 234. Zachar, Z. and Savage, D. C. Microbial interference and colonization of the murine gastrointestinal tract by Listeria monocytogenes. Infection & Immunity 23(1):168, 1979.

INDEX (37) Antibiotic: 27, 61, 87, 109, 121, 134, 135, 198, 224, 225 Antigens: 5, 57, 95 Bibliography: 22 Bile Acids: 19, 138, 149, 187 Calves: 53 Carcinogenesis: 179 Cats: 9, 59, 99 Chemistry: 58, 144 Chicken: 65, 66, 94, 104, 125, 126, 163, 166, 184 Chimeras: 142, 143 Dental Problems: 2, 43, 47, 48, 97, 102, 103, 108, 112, 128, 183, 185, 186, 191 Diet: 24 DNA: 130, 233 Dog: 19, 71, 96, 121, 122, 137, 224, 231 Entamoeba: 26, 54, 64, 131, 148, 198, 211 Foals: 84, 215 Gerbil: 230 G. F. Techniques: 7, 87, 101, 105, 126, 189, 196, 199, 203, 232 Graft vs. Host: 90 Guinea Pig: 164 Hamster: 6, 82 **Immunity: 107** Intestinal Microorganism: 17, 21, 40, 41, 150, 156, 167, 184, 207, 208 Isolation: 4 Lamb: 60, 133, 193 Leukemia: 80 Mice: 33, 43, 45, 56, 61, 62, 68, 76, 77, 90, 95, 106, 111, 112, 119, 136, 172, 173, 174, 175, 176, 177, 178, 190, 201, 202, 209, 214, 228, 229 Microflora: 16, 113, 118, 119, 124, 127, 167, 168, 180, 198, 234 Mitosis: 171 Nematodes: 220 Nude Mice: 83, 98, 216 Paramecium: 1 Parturition: 129 Patient Care: 10, 11, 12, 13, 14, 20, 28, 50, 72, 81, 91, 92, 132, 145, 157, 195, 212, 213, 221, 222 Peracetic Acid: 75 Phagocytosis: 162 Physiology: 194 Pigs: 3, 5, 30, 49, 52, 70, 74, 93, 141, 151, 152, 153, 168, 170, 205, 210 Plants: Production: 29, 44 Rabbits: 3, 34, 35, 36, 140 Rats: 8, 15, 16, 25, 38, 44, 47, 48, 51, 63, 67, 69, 79, 86, 88, 89, 97, 100, 102, 103,

107, 110, 116, 124, 146, 147, 155, 159, 181, 182, 185, 186, 217

Specific Pathogen Free: 9, 52, 70, 77, 117, 193

Tumor: 8 Vaccine: 18 Virology: 49, 227

